

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE J		PAGE OF PAGES 1 11	
2. AMENDMENT/MODIFICATION NO. P00018		3. EFFECTIVE DATE 23-Feb-2012		4. REQUISITION/PURCHASE REQ. NO. W913AD9FQYTJ21C		5. PROJECT NO.(If applicable)	
6. ISSUED BY ARMY CONTRACTING COMMAND-NCR 200 STOVALL STREET ALEXANDRIA VA 22332-1800		CODE W91QUZ		7. ADMINISTERED BY (If other than item 6) DCMA SEATTLE 188 106TH AVE NE, STE 660 BELLEVUE WA 98004		CODE S4801A	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code) INTERMEC TECHNOLOGIES CORPORATION 6001 36TH AVE W EVERETT WA 98203-1264				9A. AMENDMENT OF SOLICITATION NO.			
				9B. DATED (SEE ITEM 11)			
				X 10A. MOD. OF CONTRACT/ORDER NO. W91QUZ-09-D-0044			
				X 10B. DATED (SEE ITEM 13) 23-Jul-2009			
CODE 33825		FACILITY CODE 33825					
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.							
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.							
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).							
X C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1(c), Changes.							
D. OTHER (Specify type of modification and authority)							
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u> 1 </u> copies to the issuing office.							
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Modification Control Number: gjmcgee12828 Incorporates CCPAIN018, Revision 1.1. See continuation pages.							
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) ALYSSA A. MURRAY / CONTRACTING OFFICER TEL: 703-325-5516 EMAIL: alyssa.murray@us.army.mil			
15B. CONTRACTOR/OFFEROR (Signature of person authorized to sign)		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA BY <i>Alyssa A. Murray</i> (Signature of Contracting Officer)		16C. DATE SIGNED 27-Feb-2012	

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE J	PAGE OF PAGES 1 11
2. AMENDMENT/MODIFICATION NO.		3. EFFECTIVE DATE 23-Feb-2012	4. REQUISITION/PURCHASE REQ. NO. W913AD9FYTJ21C		5. PROJECT NO. (If applicable)
6. ISSUED BY ARMY CONTRACTING COMMAND-NCR 200 STOWALL STREET ALEXANDRIA VA 22332-1800		CODE W91QUZ	7. ADMINISTERED BY (If other than item 6) DCMA SEATTLE 188 106TH AVE NE, STE 660 BELLEVUE WA 98004		CODE S4801A
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code) INTERMEC TECHNOLOGIES CORPORATION 6001 36TH AVE W EVERETT WA 98203-1264				9A. AMENDMENT OF SOLICITATION NO.	
				9B. DATED (SEE ITEM 11)	
				X	10A. MOD. OF CONTRACT/ORDER NO. W91QUZ-09-D-0044
				X	10B. DATED (SEE ITEM 13) 23-Jul-2009
CODE 33825		FACILITY CODE 33825			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACT ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
X C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1(c), Changes.					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return 1 copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Modification Control Number: gjmcgee12828 Incorporates CCPAIND18, Revision 1.1. See continuation pages.					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
13A. NAME AND TITLE OF SIGNER (Type or print) <i>Long Glen Director Federal Region</i>		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) MURRAY, ALYSSA Digitally signed by MURRAY, ALYSSA A.1229597848			
15B. CONTRACTOR/OFFEROR <i>Voyce</i> (Signature of person authorized to sign)		15C. DATE SIGNED 02/24/2012		16B. UNITED STATES OF AMERICA A.A.1229597848 BY (Signature of Contracting Officer)	
				16C. DATE SIGNED Date: 2012.02.27 09:38:05 -05'00'	

EXCEPTION TO SF 30
APPROVED BY OIRM 11-84

30-105-04

STANDARD FORM 30 (Rev. 10-83)
Prescribed by GSA
FAR (48 CFR) 53.243

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

The following items are applicable to this modification:**SF 30 CONT'D**

A. This modification incorporates CCP AIN018, Revision 1.1, submitted 23 Jan 2012. As a result of incorporation of the CCP, SLIN descriptions are changed as **highlighted** in the following table:

SLIN	Description – FROM	Description – TO
0001AA 1001AA	Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications ... Note: Intermec 850-818-001 CN3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader....	Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications... Note: Intermec Model AR6 (850-818-xxx) CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader....
0001BA 1001BA	Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability)... Intermec 321-576-004 USB Interface Cable Intermec 850-818-001 CN3 CAC Reader....	Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability)... Intermec 321-576-004 USB Interface Cable Intermec Model AR6 (850-818-xxx) CN3 CAC Reader
0001CA 1001CA	Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed... Note: Intermec 850-818-001 CN3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader....	Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed... Note: Intermec Model AR6 (850-818-xxx) CN3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader....
0001CJ	Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad, Wireless (802.11g/i) Communications, and Win Mobile 5.0 Installed ... Intermec 850-818-001 CN3 CAC Reader....	Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad, Wireless (802.11g/i) Communications, and Win Mobile 5.0 Installed ... Intermec 321-576-004 USB Interface Cable Intermec Model AR6 (850-818-xxx) CN3 CAC Reader....
0001DA 1001DA	Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability)... Intermec 321-576-004 USB Interface Cable Intermec 850-818-001 CN3 CAC Reader....	Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability)... Intermec 321-576-004 USB Interface Cable Intermec Model AR6 (850-818-xxx) CN3 CAC Reader....

SLIN	Description – FROM	Description – TO
0001EA 1001EA	Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6)...	Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) ...
	Note: Intermec 850-820-001 CK3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader....	Note: Intermec Model AR7 (850-820-xxx) CK3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader....
0001FA 1001FA	Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications...	Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications...
	Note: Intermec 850-820-001 CK3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader....	Note: Intermec Model AR7 (850-820-xxx) CK3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader....
0023AB 1023AB	Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications...	Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications...
	Intermec 321-576-004 USB Interface Cable, qty 5 Intermec 850-818-001 CN3 CAC Reader, qty 5....	Intermec 321-576-004 USB Interface Cable, qty 5 Intermec Model AR6 (850-818-xxx) CN3 CAC Reader, qty 5....
0023CB 1023CB	Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 5.0, Full Keypad and 802.11g/i wireless communications, Includes Mini-SD Card, 2GB (installed in HHT) and Stationary Bar Code Label Printer and Accessories...	Transit Case Configuration, Hand Held Barcode Terminal (HHT-C) With Win Mobile 5.0, Full Keypad and 802.11g/i wireless communications, Includes Mini-SD Card, 2GB (installed in HHT) and Stationary Bar Code Label Printer and Accessories...
	Intermec 321-576-004 USB Interface Cable Intermec 850-818-001 CAC Reader....	Intermec 321-576-004 USB Interface Cable Intermec Model AR6 (850-818-xxx) CN3 CAC Reader....

B. As a result of this modification, there is no change in the total amount obligated under the contract.

C. All other terms and conditions are unchanged.

SUMMARY OF CHANGES

SECTION SF 1449 - CONTINUATION SHEET

SUPPLIES OR SERVICES AND PRICES

SUBCLIN 0001AA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications Intermec CN3G: CN3BRH80000Z4G8 (BT enabled) or CN3BRH80000Z4G6 (BT disabled) Num,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT) Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 CN3 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable CAC Reader - Apriva BT200-T Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N Note: Intermec 850-818-001 CN3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches to Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications Intermec CN3G: CN3BRH80000Z4G8 (BT enabled) or CN3BRH80000Z4G6 (BT disabled) Num,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT) Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 CN3 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable CAC Reader - Apriva BT200-T Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N Note: Intermec Model AR6 (850-818-xxx) CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

SUBCLIN 0001BA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Intermec CN3G: CN3BRH80000Z4G5 Num,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT) Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 CN3 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable Intermec 850-818-001 CN3 CAC Reader Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N to Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Intermec CN3G: CN3BRH80000Z4G5 Num,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT) Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 CN3 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable Intermec Model AR6 (850-818-xxx) CN3 CAC Reader Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N.

SUBCLIN 0001CA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Intermec CN3eG: CN3FWH80000Z4G8 (BT enabled) or CN3FWH80000Z4G6 (BT disabled) Alpha,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT) Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 CN3 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable CAC Reader - Apriva BT200-T Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N Note: Intermec 850-818-001 CN3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to

Ordnance (HERO) and the recommended safe distance separation is 4 inches to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Intermec CN3eG: CN3FWH80000Z4G8 (BT enabled) or CN3FWH80000Z4G6 (BT disabled) Alpha,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT)Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 CN3 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable CAC Reader - Apriva BT200-T Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N Note: Intermec Model AR6 (850-818-xxx) CN3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

SUBCLIN 0001CJ

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad, Wireless (802.11g/i) Communications, and Win Mobile 5.0 Installed Intermec CN3eG: CN3FWH84000Z1G6 Alpha,Aimg/SH,804,NoGPS,WM5 WWE Includes Mini-SD Card, 2GB (installed in HHT)Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 CN3 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable Intermec 850-818-001 CN3 CAC Reader Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad, Wireless (802.11g/i) Communications, and Win Mobile 5.0 Installed Intermec CN3eG: CN3FWH84000Z1G6 Alpha,Aimg/SH,804,NoGPS,WM5 WWE Includes Mini-SD Card, 2GB (installed in HHT)Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 CN3 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable Intermec Model AR6 (850-818-xxx) CN3 CAC Reader Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N.

SUBCLIN 0001DA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Intermec CN3eG: CN3FWH80000Z4G5 Alpha,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT)Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable Intermec 850-818-001 CN3 CAC Reader Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N to Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Intermec CN3eG: CN3FWH80000Z4G5 Alpha,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT)Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable Intermec Model AR6 (850-818-xxx) CN3 CAC Reader Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N.

SUBCLIN 0001EA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Intermec CK3Gex: CK3G20M00E100 (BT enabled) or CK3G20M01E100 (BT disabled) CK3B, Alpha-Numeric, EX25, WM6 WWE Intermec 871-228-101 CK3 Charger / Communications Dock Intermec Model AE16 Universal Power Supply Intermec 236-209-001 Cable Assy, USB-A to USB-microB

Intermec 318-034-101 CK3 Operational and Spare Battery Intermec 714-685-001 CK3 Operational and Spare Stylus Intermec 856-065-005 MICRO-SD CARD, 2GB CAC Reader - Apriva BT200-T Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N Note: Intermec 850-820-001 CK3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches to Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Intermec CK3Gex: CK3G20M00E100 (BT enabled) or CK3G20M01E100 (BT disabled) CK3B, Alpha-Numeric, EX25, WM6 WWE Intermec 871-228-101 CK3 Charger / Communications Dock Intermec Model AE16 Universal Power Supply Intermec 236-209-001 Cable Assy, USB-A to USB-microB Intermec 318-034-101 CK3 Operational and Spare Battery Intermec 714-685-001 CK3 Operational and Spare Stylus Intermec 856-065-005 MICRO-SD CARD, 2GB CAC Reader - Apriva BT200-T Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N Note: Intermec Model AR7 (850-820-xxx) CK3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches.

SUBCLIN 0001FA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Intermec CK3G: CK3G20B00E100 (BT enabled) or CK3G20B01E100 (BT disabled) CK3B, Alpha-Numeric, EA11HD, WM6 WWE, Intermec 871-228-101 CK3 Charger / Communications Dock Intermec AE16 Universal Power Supply Intermec 236-209-001 Cable Assy, USB-A to USB-microB Intermec 318-034-101 CK3 Operational and Spare Battery Intermec 714-685-001 CK3 Operational and Spare Stylus Intermec 856-065-005 MICRO-SD CARD, 2GB CAC Reader - Apriva BT200-T Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT Country Specified Power Cord - variable P/N Note: Intermec 850-820-001 CK3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches to Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Intermec CK3G: CK3G20B00E100 (BT enabled) or CK3G20B01E100 (BT disabled) CK3B, Alpha-Numeric, EA11HD, WM6 WWE, Intermec 871-228-101 CK3 Charger / Communications Dock Intermec AE16 Universal Power Supply Intermec 236-209-001 Cable Assy, USB-A to USB-microB Intermec 318-034-101 CK3 Operational and Spare Battery Intermec 714-685-001 CK3 Operational and Spare Stylus Intermec 856-065-005 MICRO-SD CARD, 2GB CAC Reader - Apriva BT200-T Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT Country Specified Power Cord - variable P/N Note: Intermec Model AR7 (850-820-xxx) CK3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches.

SUBCLIN 0023AB

The CLIN extended description has changed from Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications Includes Mini-SD Card, 2GB (installed in HHT), qty 5 Intermec 655-142-001 Rugged Aluminum Transit Case Including: Intermec CN3eG: CN3FWH84000Z1G6 Alpha,Aimg/SH,804,NoGPS,WM5 WWE, qty 5 Intermec 825-207-001 CN3 Holster and Shoulder Strap, qty 5 Intermec 203-839-101 CN3 Series Scan Handle, qty 5 Intermec 318-016-102 CN3 CN3 Operational and Spare Battery, qty 5 sets Intermec 714-626-001 CN3 Operational and Spare stylus, qty 5 Intermec 321-576-004 USB Interface Cable, qty 5 Intermec 850-818-001 CN3 CAC Reader, qty 5 Intermec 871-025-002 CN3 Charger / Communications Dock, qty 5 Intermec 852-065-101 CN3

Multiple Battery Charger Intermec Model 9004-AE01 Universal Power Supply, qty 6 Intermec 1-974028-025 AVG AC Power Cord, US, qty 7 Intermec 1-974027-025 AVG AC Power Cord, Europe, qty 7 Intermec 1-974029-020 AVG AC Power Cord, UK, qty 7 Aruba AP-65-1/AP-65-MNT/AP-ENCL Radio Frequency Access Point (NEMA Enclosure) Intermec 942-002-xxx CD Documentation AIT-IV Training for 0023AA Transit Case on CD to Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications Includes Mini-SD Card, 2GB (installed in HHT), qty 5 Intermec 655-142-001 Rugged Aluminum Transit Case Including: Intermec CN3eG: CN3FWH84000Z1G6 Alpha,Aimg/SH,804,NoGPS,WM5 WWE, qty 5 Intermec 825-207-001 CN3 Holster and Shoulder Strap, qty 5 Intermec 203-839-101 CN3 Series Scan Handle, qty 5 Intermec 318-016-102 CN3 CN3 Operational and Spare Battery, qty 5 sets Intermec 714-626-001 CN3 Operational and Spare stylus, qty 5 Intermec 321-576-004 USB Interface Cable, qty 5 Intermec Model AR6 (850-818-xxx) CN3 CAC Reader, qty 5 Intermec 871-025-002 CN3 Charger / Communications Dock, qty 5 Intermec 852-065-101 CN3 Multiple Battery Charger Intermec Model 9004-AE01 Universal Power Supply, qty 6 Intermec 1-974028-025 AVG AC Power Cord, US, qty 7 Intermec 1-974027-025 AVG AC Power Cord, Europe, qty 7 Intermec 1-974029-020 AVG AC Power Cord, UK, qty 7 Aruba AP-65-1/AP-65-MNT/AP-ENCL Radio Frequency Access Point (NEMA Enclosure) Intermec 942-002-xxx CD Documentation AIT-IV Training for 0023AA Transit Case on CD.

SUBCLIN 0023CB

The CLIN extended description has changed from Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 5.0, Full Keypad and 802.11g/i wireless communications, Includes Mini-SD Card, 2GB (installed in HHT) and Stationary Bar Code Label Printer and Accessories Intermec CN3eG: CN3FWH84000Z1G6 Alpha,Aimg/SH,804,NoGPS,WM5 WWE Intermec 825-207-001 CN3 Holster and Shoulder Strap Intermec 203-839-101 CN3 Series Scan Handle Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable Intermec 850-818-001 CAC Reader Intermec 852-065-101 Multiple Battery Charger Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004 AE-01 Universal Power Supply, qty 2 Intermec PD42G: PD42GJ1100001020 Stationary Bar Code Label Printer w/USB Interface Cable to host computer Intermec 1-974028-025 AVG AC Power Cord, US, qty 3 Intermec 1-974027-025 AVG AC Power Cord, Europe, qty 3 Intermec 1-974029-020 AVG AC Power Cord, UK, qty 3 Intermec E22104 8-inch roll of 4 by 6-inch, plastic bar code label stock Intermec 13574106 Resin Printer Ribbon Intermec 935-030-001 CD Documentation AIT IV Intermec Training for 0023AA Transit Case on CD to Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 5.0, Full Keypad and 802.11g/i wireless communications, Includes Mini-SD Card, 2GB (installed in HHT) and Stationary Bar Code Label Printer and Accessories Intermec CN3eG: CN3FWH84000Z1G6 Alpha,Aimg/SH,804,NoGPS,WM5 WWE Intermec 825-207-001 CN3 Holster and Shoulder Strap Intermec 203-839-101 CN3 Series Scan Handle Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable Intermec Model AR6 (850-818-xxx) CN3 CAC Reader Intermec 852-065-101 Multiple Battery Charger Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004 AE-01 Universal Power Supply, qty 2 Intermec PD42G: PD42GJ1100001020 Stationary Bar Code Label Printer w/USB Interface Cable to host computer Intermec 1-974028-025 AVG AC Power Cord, US, qty 3 Intermec 1-974027-025 AVG AC Power Cord, Europe, qty 3 Intermec 1-974029-020 AVG AC Power Cord, UK, qty 3 Intermec E22104 8-inch roll of 4 by 6-inch, plastic bar code label stock Intermec 13574106 Resin Printer Ribbon Intermec 935-030-001 CD Documentation AIT IV Intermec Training for 0023AA Transit Case on CD.

SUBCLIN 1001AA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications Intermec CN3G: CN3BRH80000Z4G8 (BT enabled) or CN3BRH80000Z4G6 (BT disabled) Num,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT) Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 CN3 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable CAC Reader - Apriva BT200-T

Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N Note: Intermec 850-818-001 CN3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches to Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications Intermec CN3G: CN3BRH80000Z4G8 (BT enabled) or CN3BRH80000Z4G6 (BT disabled) Num,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT) Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 CN3 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable CAC Reader - Apriva BT200-T Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N Note: Intermec Model AR6 (850-818-xxx) CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

SUBCLIN 1001BA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Intermec CN3G: CN3BRH80000Z4G5 Num,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT) Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 CN3 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable Intermec 850-818-001 CN3 CAC Reader Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N to Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Intermec CN3G: CN3BRH80000Z4G5 Num,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT) Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 CN3 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable Intermec Model AR6 (850-818-xxx) CN3 CAC Reader Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N.

SUBCLIN 1001CA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Intermec CN3eG: CN3FWH80000Z4G8 (BT enabled) or CN3FWH80000Z4G6 (BT disabled) Alpha,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT) Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 CN3 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable CAC Reader - Apriva BT200-T Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N Note: Intermec 850-818-001 CN3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Intermec CN3eG: CN3FWH80000Z4G8 (BT enabled) or CN3FWH80000Z4G6 (BT disabled) Alpha,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT) Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 CN3 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable CAC Reader - Apriva BT200-T Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N Note: Intermec Model AR6 (850-818-xxx) CN3 CAC Reader (USB Snap-on) is available upon customer request at no additional

cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 4 inches.

SUBCLIN 1001DA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Intermec CN3eG: CN3FWH80000Z4G5 Alpha,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT)Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable Intermec 850-818-001 CN3 CAC Reader Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N to Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Intermec CN3eG: CN3FWH80000Z4G5 Alpha,Aimg/SH,804,NoGPS,WM6 WWE Includes Mini-SD Card, 2GB (installed in HHT)Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004-AE01 Universal Power Supply Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable Intermec Model AR6 (850-818-xxx) CN3 CAC Reader Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N.

SUBCLIN 1001EA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Intermec CK3Gex: CK3G20M00E100 (BT enabled) or CK3G20M01E100 (BT disabled) CK3B, Alpha-Numeric, EX25, WM6 WWE Intermec 871-228-101 CK3 Charger / Communications Dock Intermec Model AE16 Universal Power Supply Intermec 236-209-001 Cable Assy, USB-A to USB-microB Intermec 318-034-101 CK3 Operational and Spare Battery Intermec 714-685-001 CK3 Operational and Spare Stylus Intermec 856-065-005 MICRO-SD CARD, 2GB CAC Reader - Apriva BT200-T Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N Note: Intermec 850-820-001 CK3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches to Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Intermec CK3Gex: CK3G20M00E100 (BT enabled) or CK3G20M01E100 (BT disabled) CK3B, Alpha-Numeric, EX25, WM6 WWE Intermec 871-228-101 CK3 Charger / Communications Dock Intermec Model AE16 Universal Power Supply Intermec 236-209-001 Cable Assy, USB-A to USB-microB Intermec 318-034-101 CK3 Operational and Spare Battery Intermec 714-685-001 CK3 Operational and Spare Stylus Intermec 856-065-005 MICRO-SD CARD, 2GB CAC Reader - Apriva BT200-T Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT IV Country Specified Power Cord - variable P/N Note: Intermec Model AR7 (850-820-xxx) CK3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches.

SUBCLIN 1001FA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Intermec CK3G: CK3G20B00E100 (BT enabled) or CK3G20B01E100 (BT disabled) CK3B, Alpha-Numeric, EA11HD, WM6 WWE, Intermec 871-228-101 CK3 Charger / Communications Dock Intermec AE16 Universal Power Supply Intermec 236-209-001 Cable Assy, USB-A to USB-microB Intermec 318-034-101 CK3 Operational and

Spare Battery Intermec 714-685-001 CK3 Operational and Spare Stylus Intermec 856-065-005 MICRO-SD CARD, 2GB CAC Reader - Apriva BT200-T Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT Country Specified Power Cord - variable P/N Note: Intermec 850-820-001 CK3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches to Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Intermec CK3G: CK3G20B00E100 (BT enabled) or CK3G20B01E100 (BT disabled) CK3B, Alpha-Numeric, EA11HD, WM6 WWE, Intermec 871-228-101 CK3 Charger / Communications Dock Intermec AE16 Universal Power Supply Intermec 236-209-001 Cable Assy, USB-A to USB-microB Intermec 318-034-101 CK3 Operational and Spare Battery Intermec 714-685-001 CK3 Operational and Spare Stylus Intermec 856-065-005 MICRO-SD CARD, 2GB CAC Reader - Apriva BT200-T Bluetooth CAC Reader with CAC enablement software Intermec 946-002-xxx CD Documentation AIT Country Specified Power Cord - variable P/N Note: Intermec Model AR7 (850-820-xxx) CK3 CAC Reader (USB Snap-on) is available upon customer request at no additional cost, in lieu of the Apriva BT200-T CAC Reader NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches.

SUBCLIN 1023AB

The CLIN extended description has changed from Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications Includes Mini-SD Card, 2GB (installed in HHT), qty 5 Intermec 655-142-001 Rugged Aluminum Transit Case Including: Intermec CN3eG: CN3FWH84000Z1G6 Alpha,Aimg/SH,804,NoGPS,WM5 WWE, qty 5 Intermec 825-207-001 CN3 Holster and Shoulder Strap, qty 5 Intermec 203-839-101 CN3 Series Scan Handle, qty 5 Intermec 318-016-102 CN3 CN3 Operational and Spare Battery, qty 5 sets Intermec 714-626-001 CN3 Operational and Spare stylus, qty 5 Intermec 321-576-004 USB Interface Cable, qty 5 Intermec 850-818-001 CN3 CAC Reader, qty 5 Intermec 871-025-002 CN3 Charger / Communications Dock, qty 5 Intermec 852-065-101 CN3 Multiple Battery Charger Intermec Model 9004-AE01 Universal Power Supply, qty 6 Intermec 1-974028-025 AVG AC Power Cord, US, qty 7 Intermec 1-974027-025 AVG AC Power Cord, Europe, qty 7 Intermec 1-974029-020 AVG AC Power Cord, UK, qty 7 Aruba AP-65-1/AP-65-MNT/AP-ENCL Radio Frequency Access Point (NEMA Enclosure) Intermec 942-002-xxx CD Documentation AIT-IV Training for 0023AA Transit Case on CD to Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications Includes Mini-SD Card, 2GB (installed in HHT), qty 5 Intermec 655-142-001 Rugged Aluminum Transit Case Including: Intermec CN3eG: CN3FWH84000Z1G6 Alpha,Aimg/SH,804,NoGPS,WM5 WWE, qty 5 Intermec 825-207-001 CN3 Holster and Shoulder Strap, qty 5 Intermec 203-839-101 CN3 Series Scan Handle, qty 5 Intermec 318-016-102 CN3 CN3 Operational and Spare Battery, qty 5 sets Intermec 714-626-001 CN3 Operational and Spare stylus, qty 5 Intermec 321-576-004 USB Interface Cable, qty 5 Intermec Model AR6 (850-818-xxx) CN3 CAC Reader, qty 5 Intermec 871-025-002 CN3 Charger / Communications Dock, qty 5 Intermec 852-065-101 CN3 Multiple Battery Charger Intermec Model 9004-AE01 Universal Power Supply, qty 6 Intermec 1-974028-025 AVG AC Power Cord, US, qty 7 Intermec 1-974027-025 AVG AC Power Cord, Europe, qty 7 Intermec 1-974029-020 AVG AC Power Cord, UK, qty 7 Aruba AP-65-1/AP-65-MNT/AP-ENCL Radio Frequency Access Point (NEMA Enclosure) Intermec 942-002-xxx CD Documentation AIT-IV Training for 0023AA Transit Case on CD.

SUBCLIN 1023CB

The CLIN extended description has changed from Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 5.0, Full Keypad and 802.11g/i wireless communications, Includes Mini-SD Card, 2GB (installed in HHT) and Stationary Bar Code Label Printer and Accessories Intermec CN3eG: CN3FWH84000Z1G6 Alpha,Aimg/SH,804,NoGPS,WM5 WWE Intermec 825-207-001 CN3 Holster and Shoulder Strap Intermec 203-839-101 CN3 Series Scan Handle Intermec 318-016-102 CN3 Operational and Spare Battery

Intermec 714-626-001 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable Intermec 850-818-001 CAC Reader Intermec 852-065-101 Multiple Battery Charger Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004 AE-01 Universal Power Supply, qty 2 Intermec PD42G: PD42GJ1100001020 Stationary Bar Code Label Printer w/USB Interface Cable to host computer Intermec 1-974028-025 AVG AC Power Cord, US, qty 3 Intermec 1-974027-025 AVG AC Power Cord, Europe, qty 3 Intermec 1-974029-020 AVG AC Power Cord, UK, qty 3 Intermec E22104 8-inch roll of 4 by 6-inch, plastic bar code label stock Intermec 13574106 Resin Printer Ribbon Intermec 935-030-001 CD Documentation AIT IV Intermec Training for 0023AA Transit Case on CD to Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 5.0, Full Keypad and 802.11g/i wireless communications, Includes Mini-SD Card, 2GB (installed in HHT) and Stationary Bar Code Label Printer and Accessories Intermec CN3eG: CN3FWH84000Z1G6 Alpha,Aimg/SH,804,NoGPS,WM5 WWE Intermec 825-207-001 CN3 Holster and Shoulder Strap Intermec 203-839-101 CN3 Series Scan Handle Intermec 318-016-102 CN3 Operational and Spare Battery Intermec 714-626-001 Operational and Spare Stylus Intermec 321-576-004 USB Interface Cable Intermec Model AR6 (850-818-xxx) CN3 CAC Reader Intermec 852-065-101 Multiple Battery Charger Intermec 871-025-002 CN3 Charger / Communications Dock Intermec Model 9004 AE-01 Universal Power Supply, qty 2 Intermec PD42G: PD42GJ1100001020 Stationary Bar Code Label Printer w/USB Interface Cable to host computer Intermec 1-974028-025 AVG AC Power Cord, US, qty 3 Intermec 1-974027-025 AVG AC Power Cord, Europe, qty 3 Intermec 1-974029-020 AVG AC Power Cord, UK, qty 3 Intermec E22104 8-inch roll of 4 by 6-inch, plastic bar code label stock Intermec 13574106 Resin Printer Ribbon Intermec 935-030-001 CD Documentation AIT IV Intermec Training for 0023AA Transit Case on CD.

(End of Summary of Changes)